
IP65

COPERCHIO GRIGIO
CON VITI NYLON - PARETI LISCE
TOTALMENTE COMPONIBILI - PIOMBABILI
Grey lid with nylon hinged screws Plain sidedModular and stackable - Sealing feature
Couvercle avec vis nylon gris
à charnière - Parois lisses - Totalement composables
Dispositif de plombage

CASSETTE STAGNE IP65		COPERCHIO GRIGIO CON VITI NYLON - PARETI LISCE Grey lid with nylon hinged screws - Plain sided *Couvercle avec vis nylon gris à charnière - Parois lisses*				
Codice Code *Code*	altezza base base height *hauteur base*	altezza coperchio lid height *hauteur couvercle*	dimensioni interne internal dimensions *dimensions internes* A	B	C	Protezione Protection *Protections*
009.A.PL	51	20	190	140	75	IP65
010.A.PL	68	24	238	190	90	
012.A.PL	77	43	300	220	120	
014.A.PL	78	45	376	300	120	
015.A.PL	78	44	456	380	121	


CASSETTE STAGNE IP65		COPERCHIO ALTO GRIGIO CON VITI NYLON - PARETI LISCE Grey high top lid with nylon hinged screws Plain sided *Couvercle haut avec vis nylon gris à charnière - Parois lisses*				
Codice Code *Code*	altezza base base height *hauteur base*	altezza coperchio lid height *hauteur couvercle*	dimensioni interne internal dimensions *dimensions internes* A	B	C	Protezione Protection *Protections*
014.CA.G	78	104	376	300	180	IP65
015.CA.G	78	104	460	380	182	




009.A.PL




010.A.PL





012.A.PL




014.CA.G







Dettaglio griglia di fondo




Dettaglio apertura coperchio a cerniera.

COPERCHIO GRIGIO CON VITI- PARETI LISCE
Screwed lids - Plain sided
Couvercle avec vis - Parois lisses


IP65




005.PL-006.PL-007.PL



008.CA.G




009.PL





012.CA.G

CASSETTE STAGNE IP65		COPERCHIO GRIGIO CON VITI - PARETI LISCE Screwed grey lids - Plain sided *Couvercle gris avec vis - Parois lisses*				
Codice Code *Code*	altezza base base height *hauteur base*	altezza coperchio lid height *hauteur couvercle*	dimensioni interne internal dimensions *dimensions internes* A	 B	 C	Protezione Protection *Protections*
005.PL	40	13	100	100	50	IP65
006.PL	41	30	100	100	70	
007.PL	41	11	123	75	51	
007.X.PL	45	20	110	80	60	
008.PL	50	20	150	110	70	
009.PL	50	23	190	145	72	
010.PL	68	23	243	190	90	
011.PL	68	42	243	190	110	
011.X.PL	68	38	240	180	100	
012.PL	70	47	310	230	115	


CASSETTE STAGNE IP65		COPERCHIO ALTO GRIGIO CON VITI - PARETI LISCE Screwed grey high top lids - Plain sided *Couvercle haut gris avec vis - Parois lisses*				
Codice Code *Code*	altezza base base height *hauteur base*	altezza coperchio lid height *hauteur couvercle*	dimensioni interne internal dimensions *dimensions internes* A	 B	 C	Protezione Protection *Protections*
008.CA.G	50	86	150	110	135	IP65
009.CA.G	50	86	190	145	135	
010.CA.G	50	105	243	190	155	
011.CA.G	68	105	243	190	170	
012.CA.G	70	91	310	230	160	







010.CA.G



Dettaglio accessorio staffa fissaggio



JUNCTION BOXES (WITH SMOOTH WALLS)

Junction Boxes are made of halogen-free ABS, which has high resistance to chemicals and atmospheric agents. By virtue of the design they offer IP 65 protection with the help of silicon rubber gasket in EPDM. They are available with plain walls, nipples and membrane. Junction-Box are offered with press-on lids, screw lids and hinged lids. Stainless steel screws are also available on request for lid fastening. Choice of grey colour lid or transparent lid is also available on request.

Technical Details :	
Material	ABS
Colour	Grey
Screw	Zinc Plated and Chromate passivated
Gasket	Silicon Rubber EPDM
Lid	Grey Colour / Transparent
Standard	IEC 670, CEI 23-48
Protection Class	IP 65
Approvals	CE

Grey Screwed Lid

Cat. No.	Internal Dimension (mm) L x W x H
M003.PL *	80 x 80 x 40
M005.PL	100 x 100 x 50
M006.PL	100 x 100 x 65
M007.PL	120 x 75 x 50
M007.XPL	110 x 80 x 60
M008.PL	150 x 110 x 70
M009.PL	190 x 145 x 70
M009.XPL	200 x 120 x 75
M010.PL	240 x 190 x 90
M011.PL	240 x 190 x 110
M011.XPL	240 x 180 x 100
M012.PL	310 x 230 x 115

Grey High Top Lid

Cat. No.	Internal Dimension (mm) L x W x H
M008.CA.G	150 x 110 x 135
M009.CA.G	190 x 145 x 135
M010.CA.G	240 x 190 x 160
M011.CA.G	240 x 180 x 170
M012.CA.G	310 x 230 x 160
M014.CA.G	380 x 300 x 180
M015.CA.G	460 x 380 x 180

* Press-on Lid with **IP 44** protection

Grey Hinged Lid

Cat. No.	Internal Dimension (mm) L x W x H
M009.A.PL	190 x 140 x 70
M010.A.PL	240 x 190 x 90
M012.A.PL	305 x 225 x 125
M014.A.PL	380 x 300 x 120
M015.A.PL	460 x 380 x 120