PRODUCT-DETAILS

CR-PSS

CR-PSS Standard socket for 1c/o or 2c/o CR-P relays



General Information

Extended Product Type:	CR-PSS
Product ID:	1SVR405650R1000
EAN:	4013614528590
Catalog Description:	CR-PSS Standard socket for 1c/o or 2c/o CR-P relays
Long Description:	The CR-PSS socket is from the CR-P (pcb) relay range. The standard socket is suitable for CR-P relays with 1 or 2 c/o (SPDT) output contacts. The socket has screw connection terminals. Pluggable function modules, holder and marker are available as accessories.
Display Name:	CR-PSS

Ordering

EAN:	4013614528590
Minimum Order Quantity:	10 piece
Customs Tariff Number:	85366990

© 2026 ABB. All rights reserved.

Popular Downloads

Data Sheet, Technical Information:	2CDC110004C0210_05
Instructions and Manuals:	1SVC405650M9000
CAD Dimensional Drawing:	2CDC001079B0201
EPLAN Data:	9AAC132576_EPLAN

Dimensions

Product Net Width:	15.5 mm
Product Net Height:	42.5 mm
Product Net Depth / Length:	75 mm
Product Net Weight:	0.038 kg

Technical

Function:	Accessory for interface relays CR-P
Sub-Function:	Socket for PCB relays
Sub-Function 2:	Standard socket for pcb relay 1 c/o or 2 c/o
Rated Operational Voltage:	250 V
Terminal Type:	Screw Terminals
Rated Operational Current AC-12 (I_e):	(230 V) 2 A
Rated Insulation Voltage (U_i):	5 V
Mounting Position:	1
Standards:	CAN/CSA C22.2 No.14 IEC/EN 63000 IEC/EN 61984 UL 508

Technical UL/CSA

Connecting Capacity Main Circuit UL/CSA:	Flexible with Ferrule 2x 20-16 AWG Rigid 2x 20-14 AWG Stranded 2 x 20-14 AWG
Flammability According to UL94:	V-0

Environmental

Ambient Air Temperature:	Operation -40 ... +70 °C Storage -40 ... +70 °C
Maximum Operating Altitude Permissible:	2000 m

Material Compliance

© 2026 ABB. All rights reserved.

Conflict Minerals Reporting Template (CMRT):	9AKK108467A5658
REACH Declaration:	1SVD981001-4501
RoHS Declaration:	1SVD981001-4401
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA:	2CMT2023-006536

Certificates and Declarations

CSA Certificate:	CSA_262671_2785566
cURus Certificate:	cURus508_E244328
Declaration of Conformity - CE:	1SVD982020-0001
Declaration of Conformity - UKCA:	1SVD982020-1000
EAC Certificate:	EAC_RU_C-DE.ME77.B.00446-19

Container Information

Package Level 1 Units:	box 10 piece
Package Level 1 Width:	81 mm
Package Level 1 Depth / Length:	88 mm
Package Level 1 Height:	74 mm
Package Level 1 Gross Weight:	0.382 kg
Package Level 1 EAN:	4013614373084

External Classifications and Standards

Object Classification Code:	K
ETIM 7:	EC001456 - Relay socket
ETIM 8:	EC001456 - Relay socket
ETIM 9:	EC001456 - Relay socket
eClass:	V11.0 : 27371603
UNSPSC:	39122335
E-Number (Finland):	2712758
E-Number (Norway):	4187348
E-Number (Sweden):	4005317

Categories

Products > Low Voltage Products and Systems > Control Products > Electronic Relays and Controls > Interface Relays and Optocouplers

© 2026 ABB. All rights reserved.









360°

© 2026 ABB. All rights reserved.